

FIG. 1













































Fig. 2

0970148-10001

















FIG. 8




I




II




III




IV




v




VI




VII




VIII




IX




X




XI




XII




XIII




XIV




XV




XVI




XVII



XVIII




XIX




- XX


FIG. 9




XXI



XXII




XXIII



XXIV




XXV




XXVI




XXVII




XXVIII




XXIX




XXX



XXXI




XXXII

R = SO₃Na


XXXIII




XXXIV




XXXV




XXXVI




XXXVII



XXXVIII



XXXIX



XL

FIG. 10



















FIG. 11




LV




LVI




LVII




LVIII




LIX




LX



LXI




LXII




LXIII


FIG. 12




LXIV




LXV




LXVI




LXVII




LXVIII




LXIX




LXX




LXXI



LXXII




LXXIII




LXXIV


FIG. 13



LXXV



LXXVI



LXXVII

FIG. 14




FIGURE 15

RANTES (80ng/ml) binding inhibition
with heparin in Elisa




FIGURE 16

ELISA

RANTES (80ng/ml) binding
inhibition




FIGURE 17

T0200T-84T0650

ELISA

RANTES (80ng/ml) binding
inhibition




FIGURE 18

ELISA

Eotaxin (80ng/ml) binding inhibition




FIGURE 19

ELISA

IL-8 (80ng/ml) binding
inhibition




FIGURE 20

ELISA

RANTES (80ng/ml) binding inhibition
with compound




FIGURE 21

ELISA

IL-8 (80ng/ml) binding inhibition
with compound




FIGURE 22

ELISA

Binding inhibition





FIGURE 23

ELISA

EOTAXIN (80ng/ml) binding
inhibition




Heparin coated wells
(40ng/well)

FIGURE 24

ELISA

EOTAXIN (80ng/ml) binding
inhibition




Heparin coated wells
(40ng/well)

FIGURE 25

ELISA

EOTAXIN (80ng/ml) binding
inhibition



Heparin coated wells
(40ng/well)

FIGURE 26

092001" 84702660

ELISA

RANTES (80ng/ml) binding inhibition
with compounds




FIGURE 27

ELISA

IL-8 (80ng/ml) binding inhibition
with compounds




FIGURE 28